


COMBI FREEZER

REFRIGERATED DISPLAY CABINETS *combined freezers*



TECHNICAL DATA SHEET

March, 2024 Rev 01



inanç Teknik Metal San . Ve Tic . Ltd . Şti
Köseler Mah, Şükürtepe Sk, No:90 Dilovası / Kocaeli
Tel : +90 262 653 00 33
Fax : +90 262 653 00 31
info@inancteknik.com.tr
www.inancteknik.com.tr


TECHNICAL DATA SHEET

Modules	Unit	BASE	BASE	BASE	
DIMENSIONS					
Length of Module <i>without endwall</i>	mm	1875 BASE	2500 BASE	3750 BASE	
Thickness of Endwall		50			
Total Display Area (TDA)	m ²	1,59	2,12	3,18	
Cubic Capacity	m ³	581,25	775	1162,5	
Depth of the cabinets: (1050)					

REFRIGERATION DATA							
Refrigeration Load	3L1	Te: -31°C	KW	1,01	1,1	1,96	
CLIMATE CLASS 3 : 25° C - 60% RH (in compliance with EN ISO 23953)							
Te: Evaporating Temperature							
All datas are based on 3 levels non-lighting shelves							

REFRIGERATION SELECTION DATA					
Condensing Temperature	°C	-32			
Evaporator Superheat	K	10			
Subcooling		4			

TEMPERATURE CLASSES					
L1	°C	-15		-18	



TECHNICAL DATA SHEET

Modules	Unit	TOP	TOP	TOP	
---------	------	-----	-----	-----	--

DIMENSIONS					
Length of Module <i>without endwall</i>	mm	1875 TOP	2500 TOP	3750 TOP	
Thickness of Endwall		50			
Total Display Area (TDA)	m²	2,307	3,075	4,613	
Cubic Capacity	m³	656,25	875	1312,5	
Depth of the cabinets: (1050)					

REFRIGERATION DATA							
Refrigeration Load	3L1	Te: -31°C	kW	1,1	1,32	1,98	
CLIMATE CLASS 3 : 25° C - 60% RH (in compliance with EN ISO 23953)							
Te: Evaporating Temperature							
All datas are based on 3 levels non-lighting shelves							

REFRIGERATION SELECTION DATA		
Condensing Temperature	°C	-32
Evaporator Superheat	K	10
Subcooling		4

TEMPERATURE CLASSES			
L1	°C	-15	-18

